PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT	Article	36	and	Rule	70)
------	---------	----	-----	------	-----

REC'D 0 3 FEB 2005

Applicant's or agent's file	e reference			WIPO	PCT			
Applicant's or agent's file reference 15786 MdCm FOR FURTHE								
International application No. International filing d. PCT/GB2004/002590 17.06.2004			ate (day/month/year)	Priority date (day/mor 25.06.2003	nth/year)			
International Patent Clas G01N27/82, G01N2	ssification (IPC) or na 27/83	tional classification ar	nd IPC					
Applicant AEA TECHNOLOG	Y PLC et al.							
•	marie de unite tratifi	ornition to the applic	Parit according to Affici	this International Prelimire 36.	nary Examining			
		f 5 sheets, including						
		ANNEXES, compr						
a. ⊠ sent to th	ne applicant and to	the International Bเ	ureau) a total of 1 she	ets, as follows:				
⊠ shee and <i>l</i> o Admi	sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).							
Supp	sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.							
b. (sent to the sequence Box Relate	b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), containing a sequence listing and/or tables related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).							
4. This report conta	ains indications rela	ating to the following	j items:					
☑ Box No. 1	Basis of the opini	on						
☐ Box No. II	Priority							
☐ Box No. III	Non-establishmer	nt of opinion with re	gard to novelty, inventi	ve step and industrial app	licability			
☐ Box No. IV	Lack of unity of in	vention						
⊠ Box No. V	applicability; citations and explanations supporting such statement							
☐ Box No. VI	Certain document	ts cited						
☐ Box No. VII	Certain defects in	the international ap	plication					
☐ Box No. VIII	Certain observation	ons on the internation	onal application					
Date of submission of the	demand		Date of completion of	this report				
02.12.2004			31.01.2005					
Name and mailing address preliminary examining auti	hority:		Authorized Officer		net Palime			
European Patent Office - P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk - Pays Bas Tel. +31 70 340 - 2040 Tx: 31 651 epo nl Fax: +31 70 340 - 3016			Joyce, D					
			Telephone No. +31 70	0 340-3093	`\ <i>`</i>			

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/GB2004/002590

	Во	x No. I	Basis of the re	port					
-	14/2							<u> </u>	
1.	file	With regard to the language , this report is based on the international application in the language in which it was filed, unless otherwise indicated under this item.							n which it was
	 □ This report is based on translations from the original language into the following language, which is the language of a translation furnished for the purposes of: □ international search (under Rules 12.3 and 23.1(b)) □ publication of the international application (under Rule 12.4) □ international preliminary examination (under Rules 55.2 and/or 55.3) 								
2.	2. With regard to the elements* of the international application, this report is based on (replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):						sheets which ed to in this		
	Description, Pages								
1-11 as originally			as originally fi	led					
	Claims, Numbers								
	1-4			received on 2°	7.12.2004 w	ith letter of 21.1	2.2004		
	Dra	wings, SI	heets						•
	1/1			as originally fil	ed				
		a seque	ence listing and/o	r any related table	e(s) - see S	Supplemental E	Box Relating to	Sequence Li	sting
3.		☐ the c☐ the c☐ the c☐ the s	description, page claims, Nos. drawings, sheets, sequence listing	fias		f:			
4.	Sup	plements the d the c the c the d the s any t	al Box (Rule 70.2 description, page claims, Nos. drawings, sheets/ dequence listing (dable(s) related to	figs <i>(specify)</i> : o sequence listing	(specify):	go beyond the	disclosure as	filed, as indic	ated in the
	*	ıt ite	m 4 applies,	some or all	of these	sheets may	, be marked	"supersed	led."

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/GB2004/002590

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

No:

1-4

Inventive step (IS)

Yes: Claims

No: Claims

Claims

1-4

Industrial applicability (IA)

Yes: Claims

1-4

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

Re Item V.

The following documents are referred to in this communication:

D1: WO 02/06812 A (BERGAMINI ANDREA E ; EIDGENOESSISCHE MATERIALPRUEFU (CH)) 24 January 2002 (2002-01-24)

D2: WO 03/034054 A (BUTTLE DAVID JOHN; ACCENTUS PLC (GB)) 24 April 2003 (2003-04-24)

Article 33 PCT:

2. The present application does not meet the criteria of Article 33(1) PCT, because the subject-matter of claim 1 does not involve an inventive step in the sense of Article 33(3) PCT.

Document D1 discloses (the references in parenthesis applying to this document):

- -A method for monitoring a flexible elongate structure comprising at least one layer of steel wires near the surface, the steel wires extending at least partly along the length of the structure (cf., D1 Fig:2 and Page 5 §[0012] lines 1-6)
- -the method comprising inducing an alternating magnetic field much less than saturation and monitoring the alternating magnetic flux density near the surface of the structure (cf., D1 Abstract)
- -determining from the flux density a corresponding parameter indicative of stress in the steel wires (D1 Page 5 § [0010] lines 6-10), detecting a variation of the measured stress around the circumference, and hence detecting if any wires have broken (D1 Page 7 § [0012] lines 12-17).

From which the subject-matter of claim 1 differs from D1 in that:

the magnetic field is induced using an array of electromagnetic probes around the circumference of the structure, each probe incorporating an electromagnetic coil to induce the said alternating magnetic field.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/GB2004/002590

The current independent claim claim cannot be considered as involving an inventive step in the sense of Article 33(3) PCT because document D2 clearly teaches the use of an array of probes incorporating an electromagnetic coil at differing orientations that are successively moved to that location and subsequently provide an indication of stress in the steel wires (cf., D2 Page 3 line 35-Page 4 line11).

Hence the presently worded sole independnet method claim 1 lacks an inventive step in the sense of Article 33(3) PCT.

3 DEPENDENT CLAIMS 2-6

Dependent claims 2-6 do not contain any features which, in combination with the features of any claim to which they refer, meet the requirements of the PCT in respect of novelty and/or inventive step (Article 33(2) and (3) PCT).

All additional features of the dependent claims are disclosed by the combination of D1 and D2.

Claims

- A method for monitoring a flexible elongate structure comprising at least one layer of steel wires near the 5 surface, the steel wires extending at least partly along the length of the structure, the method comprising inducing an alternating magnetic field much less than saturation in the steel wires using an array of electromagnetic probes around the circumference of the 10 structure, each probe incorporating an electromagnetic coil to induce the said alternating magnetic field and means for monitoring the alternating magnetic flux density near the surface of the structure, determining from the flux density detected by each probe a 15 corresponding parameter indicative of stress in the steel wires, detecting a variation of the measured stress around the circumference, and hence detecting if any wires have broken.
- 20 2. A method as claimed in claim 1 wherein the magnetic field is in a direction at a non-zero angle to the longitudinal axis of the wires.
- 3. A method as claimed in claim 1 or claim 2 wherein the
 method comprises resolving signals from each magnetic
 monitoring means into an in-phase component and a
 quadrature component, and deducing from the in-phase and
 quadrature components a stress-dependent parameter that
 is independent of lift-off.

30

4. An apparatus for monitoring a flexible elongate structure by a method as claimed in any one of the preceding claims.